AVIGILON™

Unity Appliances update

Pre-recorded Webinar

Herman Lo
Shweta Desai
Lauren Ong

Agenda

- Video infrastructure portfolio overview
- AI NVR 2X Value
- NVR6 Value
- HDVA 3XL
- Unity Access Appliances
- How to order and pricing
- Timelines and assets

Portfolio overview

AVIGILON
UNITY VIDEO

HDVA3X
8P 2TB - 8TB

HDVA3X
16P 6TB - 12TB
24P 12TB - 24TB

NVR6 STANDARD
16TB - 64TB

NVR6 PREMIUM
72TB - 200TB

NVR6 PREMIUM PLUS
200TB - 440TB

Windows

RM7/NVR5 WKS
4TB - 8TB

NVR5 VALUE
6TB - 24TB

AVIGILON
Hardened OS

ENVR2 PLUS
4TB - 8TB

AI NVR 2 VALUE
6TB - 24TB

AI NVR 2 STANDARD
16TB - 64TB

AI NVR 2 PREMIUM
72TB - 200TB

AI NVR 2 PREMIUM PLUS
200TB - 440TB

<25 cameras | <50 cameras | 120 cameras | 200 cameras | Up to 400 cameras (per NVR)

Small Sites — Large Sites

AVIGILON
UNITY ACCESS

PROFESSIONAL
50 doors

ENTERPRISE
1TB
400 doors

ENTERPRISE PLUS
1.3TB
4000 doors

Portfolio overview (New)

AVIGILON
UNITY VIDEO

HDVA3XL
8P 2TB - 16TB

HDVA3XL
~~16P 6TB - 12TB~~
24P 6TB - 48TB

NVR6 STANDARD
16TB - 64TB

NVR6 PREMIUM
72TB - 200TB

NVR6 PREMIUM PLUS
200TB - 440TB

Windows

RM7/NVR5 WKS
4TB - 8TB

NVR6 VALUE
6TB - 24TB

AVIGILON
Hardened OS

ENVR2 PLUS
4TB - 8TB
<25 cameras

AI NVR 2X VALUE
6TB - 24TB
<50 cameras

AI NVR 2 STANDARD
16TB - 64TB
120 cameras

AI NVR 2 PREMIUM
72TB - 200TB
200 cameras

AI NVR 2 PREMIUM PLUS
200TB - 440TB
Up to 400 cameras (per NVR)

Small Sites

Large Sites

Microsoft
Hyper-V

AVIGILON
UNITY ACCESS

PROFESSIONAL
50 doors

NVR6 VALUE
6TB - 24TB
50 doors with 32 cameras

ENTERPRISE
2TB
400 doors

ENTERPRISE PLUS
1.3TB
4000 doors

Same DPNs, New MPNs

Deployment options

1

Customer with security team as the key decision maker, especially with strong desire for lower operating and switching costs

Lead with **AI NVR 2X Value**

- Simple setup on **Hardened OS**
- Optional Analytics kit for third-party or non-analytic cameras
- iDRAC Remote management
- Up to 80 cameras @ 6-24TB storage

2

Customer with small to medium-size sites within a large enterprise

Lead with **NVR6 Value**

- **Windows** environment
- On-site hardware support
- Optional Analytics kit for Avigilon cameras
- iDRAC Remote management
- Up to 48 cameras @ 6-24TB storage
- Unity Access 7 VM for up to 50 doors with 32 cameras

3

Customer need all-in-one solution for limited space deployments

Lead with **HDVA3XL**

- PoE switch, NVR & Client Workstation **all-in-one**
- **Windows** environment
- Optional IPMI remote mgt module
- Optional Analytics kit for Avigilon cameras
- 8 Port: 16-22 cameras @ 2-16TB
- 24 Port: 32-38 cameras @ 6-48TB

AI NVR 2X Value

What's new?

AI NVR 2X at a glance

- A workhorse for small-to-large enterprise sites, the **AI NVR 2X Value** is now available from 6 to 24 TB
- Tailor small to midsize enterprise sites
- Avigilon Hardened OS supporting up to 80 cameras
- Single click remote site upgrade of clients and cameras
- Advanced server-side Avigilon analytics on up to 80 non-analytic ONVIF cameras

AI NVR 2X Value

- **Avigilon Artificial Intelligence Network Video Recorder 2X (AI NVR 2X) Value** models (6TB to 24TB) lets you build new opportunities with partners and enterprise customers with small to midsize deployments
- Mirrors **Avigilon sixth-generation Network Video Recorder 6 (NVR6) Value** models in capacity and form factor
- AI NVR 2X Value are drop-in replacements for the EOLing AI NVR 2 Value
  - 3YR Next Business Day warranty, with 2 year extension and mission critical uplift available
  - Optional Analytics Kit ***(Phasing out Analytics Plus Kit)***
  - **Optional Redundant Power Supply**
- ***Phasing out regional SKUs***
  - 1x C13-C14 power cord now included with region-agnostic SKU
  - Regional power cord sold separately
- Factory installed with **Unity Video 8 on Avigilon Hardened OS**
- Certs: UL, cUL, CE, NRCS, NOM, RCM, VCCI, BSMI, CCC, KC, UKCA, RoHS, CMIM, **BIS (India)**
- Excluded regions:

• Belarus • Cuba • Iran	• North Korea • Russian Fed. • Sudan • Syria

Specifications

	AI NVR 2 VALUE			AI NVR 2X VALUE FORM D	
	6TB | 12TB | 16TB | 24TB (RAID5)			6TB | 12TB | 16TB | 24TB (RAID5)	
Platform	FORM D 1U Rack Mount Chassis			FORM D 1U Rack Mount Chassis (next gen)	
Dimensions	1.68" x 18.97" x 23.56"			1.68" x 18.97" x 23.57"	
OS	Avigilon Hardened OS Installed on 2 x 32GB microSD, RAID1			Avigilon Hardened OS **Installed on 2 × M.2 480GB Solid State drives, RAID1**	
Rails	Static Rails			Static Rails	
Video Recording & Live stream / Playback Throughput	550 Mbps / 300 Mbps (6/12/24 TB) 450 Mbps / 250 Mbps (16 TB)			**312Mbps@48ch / 128Mbps@20ch (6TB)** **520Mbps@80ch / 256Mbps@40ch (12/24 TB)** **416Mbps@64ch / 230Mbps@36ch (16 TB)**	
Analytics Kit	No ANK	ANK	ANK PLUS	No ANK	**ANK**
AS / FR / COD / VFD (ch)	Not Available	90 / 31 / 4 / 2	90 / 70 / 9 / 5	Not Available	**Unity8: 80 / 48 / 20 / 7** **ACC7: 80 / 48 / 4 / 2**
LPR Lanes @ 10 FPS	Up to 8	Up to 14	Up to 21	**Up to 7**	**Up to 14**
Support	3 Years NBD			3 Years NBD	
Redundant PSU	Not Available			**Optional**	
Power Cord	1x Regional Power Cord (NA/EU/UK/AU) included			**1x C13/C14 PDU Power Cord included** **Regional Power Cord must be purchased on same AI NVR 2X Value order**	

Throughput performance assumes each video channel (ch) consists of a H.264/H.265 2MP 30FPS primary stream and a low resolution 30FPS secondary stream with moderate ONVIF Profile S motion metadata.

NVR6 Value

What’s new?

NVR6 Value at a glance

- The sixth-generation Avigilon Network Video Recorder **(NVR6)** Value now features storage capacity at a single location with up to 24 TB in storage per NVR
- Windows Server 2022 supporting up to 48 cameras
- Unity Access 7 is now supported to run concurrently as a Virtual Machine with Unity Video 8 on the same NVR6 Value appliance

NVR6 Value

- **Avigilon sixth-generation Network Video Recorder (NVR6) Value** models (6TB to 24TB) lets you build new opportunities with partners and enterprise customers with small to midsize deployments
- **Unity Access 7 is now supported to run concurrently as a Virtual Machine with Unity Video 8 on the same NVR6 Value appliance**
  - Up to 50 doors with 32 video channels
  - **Requires an UA7 Virtual Hyper-V Appliance License (UA-SW-LIC-APP-VIRTUAL-HYPERV)**
- NVR6 Value are drop-in replacements for the EOLing NVR5 Value
  - 3YR Next Business Day warranty, with 2 year extension and mission critical uplift available
  - Optional Analytics Kit ***(Phasing out Analytics Plus Kit)***
  - **Optional Redundant Power Supply**
- ***Phasing out regional SKUs***
  - 1x C13-C14 power cord now included with region-agnostic SKU
  - Regional power cord sold separately
- **Certs:** UL, cUL, CE, NRCS, NOM, RCM, VCCI, BSMI, CCC, KC, UKCA, RoHS, CMIM, **BIS (India)**
- **Excluded regions:**

• Belarus • Cuba • Iran	• North Korea • Russian Fed. • Sudan • Syria

Specifications

	NVR5 VALUE			NVR6 VALUE	
	6TB | 12TB | 16TB | 24TB (RAID5)			6TB | 12TB | 16TB | 24TB (RAID5)	
Platform	FORM D 1U Rack Mount Chassis			FORM D 1U Rack Mount Chassis (next gen)	
Dimensions	1.68" x 18.97" x 23.56"			1.68" x 18.97" x 23.57"	
OS*	Win10 IoT Enterprise LTSC 2021, v21H2 Upgradable to Windows Server IoT 2019 LTSC Installed on RAID 5 Array			**Windows 11 IoT Enterprise LTSC 2024, v24H2** **Upgradable to Windows Server IoT 2022 LTSC** Installed on RAID 5 Array	
Rails	Static Rails			Static Rails	
Video Recording & Live stream / Playback Throughput	550 Mbps / 300Mbps (6/12/24 TB) 450Mbps / 250Mbps (16 TB)			**312Mbps@48ch / 130Mbps@20ch (6/12/16/24TB)** **208Mbps@32ch / 130Mbps@20ch (with UA7 VM @ 50 doors)**	
Analytics Kit	**No ANK**	**ANK**	**ANK PLUS**	**No ANK**	**ANK**
AS / FR (ch)	Not Available	46 / 31	46 / 46	Not Available	**48 / 48**
LPR Lanes @ 10 FPS	7			**10**	**10**
Support	3 Years NBD			3 Years NBD	
Redundant PSU	Not Available			**Optional**	
Power Cord	1x Regional Power Cord (NA/EU/UK/AU) included			**1x C13/C14 PDU Power Cord included** **Regional Power Cord must be purchased on same NVR6 Value order**	

Video throughput performance assumes each video channel (ch) consists of a H.264/H.265 2MP 30FPS primary stream and a low resolution 30FPS secondary stream with moderate ONVIF Profile S motion metadata.
Unity Access 7 workload assumes 50 Doors with 2 Panels at 2 Transactions per second and 1 Daily Report per day.

Ordering

AI NVR 2X VALUE | NVR6 VALUE

[AI NVR 2 | NVR5] Value Model (EOL)	[AI NVR 2X | NVR6] Value Model (NEW)
[AINVR2|NVR5]-VAL-[6|12|16|24]TB-XX Regional power cords are included in Regional SKUs.	[AINVR2X|NVR6]-VAL-FORM-D-[6|12|16|24]TB-C13-C14 C13-C14 PDU power cords are included in all SKUs.
Regional power cords are not sold separately.	NVR-FORM-D-SINGLE-POWERCORD-C13-XX Regional power cords are sold separately and must be purchased on the same NVR order.
Virtual Machine is not supported on NVR5 or AINVR2 Value.	**UA-SW-LIC-APP-VIRTUAL-HYPERV** **Virtual Hyper-V Appliance License supported on NVR6 Value only.**
Redundant power supply is not an option.	NVR6-AINVR2X-VAL-FORM-D-PSU-600W-C13-C14 Regional power cords are sold separately and must be purchased on the same PSU order.
[AINVR2|NVR5]-VAL-ANK	NVR6-AINVR2X-VAL-FORM-D-ANK
[AINVR2|NVR5]-VAL-ANK-PLUS	
[AINVR2|NVR5]-VAL-IDRAC9-ENT-UPG	IDRAC9-ENT-UPG-V2
[AINVR2|NVR5]-VAL-WARR-EXTEND-2YR	NVR6-AINVR2X-VAL-FORM-D-WARR-EXTEND-2YR
[AINVR2|NVR5]-VAL-WARR-5Y4HMC Must be purchased together with [AINVR2|NVR5]-VAL-WARR-EXTEND-2YR on the same NVR order.	NVR6-AINVR2X-VAL-FORM-D-WARR-5Y4HMC Must be purchased with NVR6-AINVR2X-VAL-FORM-D-WARR-EXTEND-2YR on the same NVR order.
[AINVR2|NVR5]-VAL-KYD-WARR-5YR	NVR6-AINVR2X-VAL-FORM-D-KYD-WARR-5YR
NVR5-S19-UPG	NVR4/4X/5/6-FORM-D-S22-UPG*

XX = NA/EU/UK/AU regional variants

******Coming Soon***

HD Video Appliance 3XL (HDVA3XL)

What's new?

HDVA3XL at a glance

- Offer secure video storage and improved performance on threat detection with Avigilon's all-in-one appliance, HDVA3XL.
- Help achieve a simplified security system while reducing installation time, cost and complexity as the HDVA3XL.
- Integrates our Avigilon Unity Video software with a high-powered PoE switch and a client workstation for recording and supporting multi-megapixel IP cameras.

HDVA3XL

- **HDVA3XL** are made from same chassis as EOLing **HDVA3X** with following changes:
  - **Upgraded from 8G to 16GB RAM, improved Unity8 & client performance**
  - **Recovery Partition added to upgraded OS drive from 128GB to 256GB**
  - **Dropping 16 Port SKUs (6/9/12TB)**
  - **Adding 16TB SKU on 8 Port & 6/48TB SKUs on 24 Port**
  - **8 Port upgraded to Windows 11 OS** *(24 Port stays on Windows 10 OS)*

- Windows Server 2022 OS upgrade kit **coming in Q4**, backward compatible with existing out-of-band management module & analytics kit
- **Certs:** UL, cUL, CE, RoHS, RCM, UKCA, **CMIM (Morocco), ANATEL (Brazil), BIS (India), *NOM (Mexico)*****

China South Korea Taiwan *Mexico***	Argentina South Africa* Russia Belarus

Regions excluded for HDVA3XL 8P & 24P

Mexico Australia New Zealand	Japan Argentina Singapore

Additional regions excluded for PS-270W-AS3-8P (8P External PSU)

Australia New Zealand Saudi Arabia	Japan Argentina Singapore

Additional Regions excluded for PS-920W-AS3-16/24P (24P Internal PSU)

*South Africa may be unblocked order-by-order basis if importers agrees to obtain certs
**NOM cert for Mexico coming soon by Q4'25. BIS is available now.

Specifications

	HDVA3X			HDVA3XL	
	8P	16P	24P	8P	24P
	2/4/8TB	6/9/12TB	12/18/24TB	2/4/8/16TB	6/12/18/24/48TB
Unity Video SW Version	ACC7 (default) or Unity Video 8 by chooser menu			**Unity Video 8 (default)** or ACC7 by chooser menu	
Platform	SFF w/ 8-Port PoE+ Switch & Client Output	1U w/ 16-Port PoE+ Switch & Client Output	1U w/ 24-Port PoE+ Switch & Client Output	SFF w/ 8-Port PoE+ Switch & Client Output	1U w/ 24-Port PoE+ Switch & Client Output
Video Recording & Live stream Throughput	100Mbps	300Mbps		**2/4/8TB: 104Mbps@16ch** **16TB: 143Mbps@22ch**	**6/12/18/24TB: 208Mbps@32ch** **48TB: 247Mbps@38ch**
Playback Throughput	100Mbps			104@16ch	
AS/FR (ch)	-	50/12 (ANK required)		-	**38**/12 (ANK required)
LPR (Aggregate FPS)	-	10		-	10
Memory	8GB DDR4			**16GB DDR4**	**16GB DDR4**
OS	Windows 10 LTSC v21H2 Server 2019 Upgrade Kit			**Windows 11 LTSC v24H2** **Server 2022 Upgrade Kit***	Windows 10 LTSC v21H2 **Server 2022 Upgrade Kit***
OS Drive	128GB M.2 SATA SSD			**256GB M.2 SATA SSD w/ Recovery Partition**	
Data Storage Config	1x 3.5” HDD	4 x 3.5” HDD RAID5		1x 3.5” HDD	4 x 3.5” HDD RAID5
Secure Boot	No TPM			No TPM	
Out of Band Management	Optional IPMI Module			Optional IPMI Module	
Support	3 Years Avigilon			3 Years Avigilon	
Power Supply	Includes one, no option for secondary			Includes one, no option for secondary	
Operating Temperature	0-40°C (32-104°F)			2/4/8TB: 0-40°C (32-104°F) **16TB: 10-40°C (50-104°F)**	6/12/18/24TB: 0-40°C (32-104°F) **48TB: 10-40°C (50-104°F)**

**Coming Soon in Q4’25.*

Ordering and pricing

HDVA3X | HDVA3XL | NVRs

HDVA3X Model (EOL)	HDVA3XL Model (NEW)	Comparable Models
VMA-AS3X-8P2-XX	VMA-AS3XL-8P2-XX	NVR5-WKS-[4|8]TB-XX + SM8TAT2SA-XX (8P POE Switch)
VMA-AS3X-8P4-XX	VMA-AS3XL-8P4-XX	
VMA-AS3X-8P8-XX	VMA-AS3XL-8P8-XX	
-	VMA-AS3XL-8P16-XX	
VMA-AS3X-16P06-XX	VMA-AS3XL-24P06-XX	[NVR6|AINVR2X]-VAL-FORM-D-[6|12|16|24]TB-C13-C14 + RM7-WKS-2MN-XX (Client Workstation) + SM24TAT2SA-XX (24P POE Switch)
VMA-AS3X-16P09-XX	VMA-AS3XL-24P12-XX	
VMA-AS3X-16P12-XX		
VMA-AS3X-24P12-XX		
VMA-AS3X-24P18-XX	VMA-AS3XL-24P18-XX	
VMA-AS3X-24P24-XX	VMA-AS3XL-24P24-XX	
-	VMA-AS3XL-24P48-XX	
VMA-AS3-ANK	Compatible with **VMA-AS3-ANK**	NVR6-VAL-ANK
AS3X-S19-UPG	**AS3XL-S22-UPG** ***(Coming Soon)***	NVR4/4X/5/6-FORM-D-S22-UPG ***(Coming Soon)***
VMA-AS3X-IPMI	Compatible with **VMA-AS3X-IPMI**	IDRAC9-ENT-UPG-V2
-	**VMA-AS3XL-HDD16** (HDVA3XL 16TB Hard Drive for VMA-AS3XL-8P16; VMA-AS3XL-24P48)	-
Warranty extension not available	Warranty extension not available	NVR6-AINVR2X-VAL-FORM-D-WARR-EXTEND-2YR

XX = NA/EU/UK/AU regional variants

Unity Access 7
Enterprise & Enterprise Plus
Appliances

Avigilon Unity Access system architecture



Enterprise-class appliances

Get your organization up and running quickly with our hardened, Linux-based servers. Offering a combination of security, reliability and flexibility, you can scale your infrastructure with ease as your facility grows.

Professional

NVR6 Value

Enterprise

Enterprise Plus

Virtual

Appliance specifications

Edition	Professional	NVR 6 Value	Enterprise	Enterprise Plus	Virtual
Appliance Type	Small form factor Desktop	1U rack mount chassis	1U rack mount chassis	1U rack mount chassis	VMware vSphere® ESC(i) 6.5+* Or Microsoft Hyper-V
Maximum Number of Unity Access 7 Doors	Up to 50	Up to 50*	Up to 400 per appliance	Up to 4,000 per appliance	Up to 4,000 per appliance
Maximum Number of Unity Video 8 Channels	Not Supported	Up to 32*	Not Supported	Not Supported	Not Supported

**System Recommendations*

***Unity Video 8 channel performance assumes each video channel consists of a H.264/H.265 2MP 30FPS primary stream and a low resolution 30FPS secondary stream with moderate ONVIF Profile S motion metadata. Unity Access 7 workload assumes 50 Doors with 2 Panels at 2 Transactions per second and 1 Daily Report per day.*

Unity Access 7

Enterprise & Enterprise Plus Appliances

- **Underlying chassis getting next gen refreshes, Display Part Numbers (DPNs) stay the same: UA-APP-ENT-7 & UA-APP-ENT-PLUS-7**
  - Drop-in replacements to prior gen appliances
  - Both C13-C14 region-agnostic PDU power cords & NA power cords will be included with UA7 enterprise appliances
    - 1xC13-C14 & 1xNA power cord each for UA-APP-ENT-7
    - 2xC13-C14 & 2xNA power cord each for UA-APP-ENT-PLUS-7
  - Material Part Numbers (MPNs) will transition from A to B to reflect chassis refreshes
    - UA-APP-ENT-7: 201-0515A to 201-0515B
    - UA-APP-ENT-PLUS-7: 201-0516A to 201-0516B
- **Introducing new accessories and warranty SKUs**, must be purchased with new appliances on the same order
- **Power Cord SKUs for international regions** (comes in NA/EU/UK/AU variants)
- **IDRAC9 Enterprise upgrades** – compatible with new Enterprise appliance (MPN ending with B) only
  - Warranty SKUs
  - **Certs**: UL, cUL, CE, NRCS, NOM, RCM, VCCI, BSMI, CCC, KC, UKCA, RoHS, CMIM, WEEE, BIS (new cert for India)
  - Excluded regions:

• Belarus • Cuba • Iran	• North Korea • Russian Fed. • Sudan • Syria

Specifications

	UA-APP-ENT-7 (201-0515A)	UA-APP-ENT-7 (201-0515B)
Platform	FORM D 1U Rack Mount Chassis	FORM D 1U Rack Mount Chassis (next gen)
Dimensions	1.68" x 18.97" × 23.56"	1.68" × 18.97" × **19.55"**
OS	Custom Linux OS	Custom Linux OS
Rails	Static Rails	Static Rails
Max. Doors	Up to 400	Up to 400
HDD Config	1TB 7.2K RPM SATA	**2TB 7.2K RPM SATA**
Support	3 Years NBD	3 Years NBD
PSU	Single 450W Bronze	Single 450W Platinum
iDRAC	IDRAC9 Basic, Not upgradable	**IDRAC9 Basic** **Upgradable to IDRAC9 Enterprise** **on the same UA-APP-ENT-7 order**
Power Cord	1x NA Power Cord included	**1x C13/C14 PDU Power Cord** **& 1x NA Power Cord included** **Regional Power Cord must be purchased** **on same UA-APP-ENT-7 order**

Specifications

	UA-APP-ENT-PLUS-7 (201-0516A)	UA-APP-ENT-PLUS-7 (201-0516B)
Platform	FORM D 1U Rack Mount Chassis	FORM D 1U Rack Mount Chassis (next gen)
Dimensions	1.68" x 18.97" x 23.56"	1.68" x 18.97" x 23.57"
OS	Custom Linux OS	Custom Linux OS
Rails	Sliding Rails	Sliding Rails
Max. Doors	Up to 4000	Up to 4000
HDD Config	4x480GB SSD, RAID5, 1.3TB effective storage	4x480GB SSD, RAID5, 1.3TB effective storage
Support	3 Years NBD	3 Years NBD
PSU	Dual 600W Platinum, redundant, hot swap	Dual 600W Platinum, redundant, hot swap
iDRAC	IDRAC9 Enterprise	IDRAC9 Enterprise
Power Cord	2x NA Power Cords included	**2x C13/C14 PDU Power Cords & 2x NA Power Cords included Dual Regional Power Cords must be purchased on same UA-APP-ENT-PLUS-7 order**

Ordering and pricing

Appliances and accessories

Appliances	Description (NEW)
UA-APP-ENT-7 **(Material Part Number: 201-0515B)**	Unity Access 7 Enterprise Appliance, includes: 1 × generic power cord (C13 / C14), 1 × NA power cord (C13 / NEMA 5-15P). Regional power cord kits (UA-APP-SINGLE-POWERCORD-C13-XX) sold separately.
UA-APP-ENT-PLUS-7 **(Material Part Number: 201-0516B)**	Unity Access 7 Enterprise Plus Appliance, includes: 2 × generic power cords (C13 / C14), 2 × NA power cords (C13 / NEMA 5-15P). Dual regional power cord kits (UA-APP-ENT-PLUS-DUAL-POWERCORD-C13-XX) sold separately.

Accessories (NEW)	Description
UA-APP-SINGLE-POWERCORD-C13-XX	Single Power cord, regional variant, for Unity Access 7 Enterprise/Professional Appliance. Must be purchased on the same order as UA-APP-ENT-7/UA-APP-PRO-7 appliances.
UA-APP-ENT-PLUS-DUAL-POWERCORD-C13-XX	Dual Power cords, regional variant, for Unity Access 7 Enterprise Plus Appliance. Must be purchased on the same order as UA-APP-ENT-PLUS-7 appliances.
UA-APP-ENT-7-IDRAC9-ENT-UPG	IDRAC 9 Enterprise upgrade. Must be purchased on the same order as UA-APP-ENT-7 appliances after October 1, 2025. Cannot be applied on existing UA-APP-ENT-7 appliances.

XX = NA/EU/UK/AU regional variants

Ordering and pricing

UA7 Appliance warranties

Warranties (NEW)	Description
UA-APP-ENT-WARR-EXTEND-2YR	2-Year Extended Warranty for Unity Access 7 Enterprise Appliance
UA-APP-ENT-PLUS-WARR-EXTEND-2YR	2-Year Extended Warranty for Unity Access 7 Enterprise Plus Appliance
UA-APP-ENT-WARR-5Y4HMC	5-Year 4-Hour-Mission-Critical Warranty Upgrade for Unity Access 7 Enterprise Appliance
UA-APP-ENT-PLUS-WARR-5Y4HMC	5-Year 4-Hour-Mission-Critical Warranty Upgrade for Unity Access 7 Enterprise Plus Appliance
UA-APP-ENT-KYD-WARR-5YR	5-year Keep-Your-Drive Warranty Upgrade for Unity Access 7 Enterprise Appliance
UA-APP-ENT-PLUS-KYD-WARR-5YR	5-year Keep-Your-Drive Warranty Upgrade for Unity Access 7 Enterprise Plus Appliance

Warranty extensions must be purchased on the same order as UA7 Enterprise or Enterprise Plus appliances.

Key dates



Aug 27
Pre-recorded Webinar

Sep 9
Partner shipping announcement

Sep 10
End user shipping announcement

Marketing assets



Whitepaper: Flexible analytics with AI NVR

AI NVR 2 fact sheet



AI NVR 2X Value datasheet (Coming soon)



NVR6 fact sheet

NVR6 Value datasheet (Coming soon)

View launch assets

Marketing assets

Coming soon

HDVA3XL fact sheet

Coming soon

HDVA3XL datasheet



UA7 Enterprise & Enterprise Plus datasheet

View launch assets